



o/c

ARDENT STEEL LIMITED
CIN - U27310CT2007PLC007671

Ref: ASL/Pollution /2017-18

Dt.12.09.2017

The Regional Officer,
State Pollution Control Board,
Keonjhar Region,
Keonjhar

Sub : Submission of Monthly Environmental Monitoring Report.

Dear Sir,

Enclosed please find herewith the copy of the monthly Environmental Monitoring Report of our industry for the month of August ,2017 conducted by our authorized Consultant viz. M/s Centre for Envotech and Management Consultancy Pvt. Ltd, BBSR for your reference and record.


Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully,
For ARDENT STEEL LIMITED

NARASINGH SAHOO
MANAGER (CORPORATE AFFAIRS)

Encl: As above



ENVIRONMENTAL MONITORING REPORT

Of

M/s ARDENT STEEL LTD

Keonjhar, Odisha

Aug-2017

Centre For Envotech and Management Consultancy Pvt. Ltd.
Environmental Laboratory

(AN ISO: 9001: 2008 and 18001: 2007 certified company, Empanelled with SPCB, Odisha)

MoEF & CC Govt. of India Recognised Environmental Laboratory

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar – 752101, Odisha

Tele: 0674 - 2460826, 7752014842

E-mail: cemclab@yahoo.in, Website: www.cemc.in





CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.


An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Aug-A-01/17
Name of Company : Ardent Steel Ltd
Sample Description : Ambient Air
Date of Monitoring : 14-08-2017
Date of Receipt : 14-08-2017
Date of Start Analysis : 16-08-2017
Sample Collected by : P.K Swain

AMBIENT AIR QUALITY TEST REPORT (24 HOURLY AVERAGE)

Sl.No.	LOCATION	MONITORING REPORT					
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	NH ₃ ($\mu\text{g}/\text{m}^3$)
1	At the boundary near the water harvesting pond (East Direction)	53.1	25.8	13.3	16.2	<1	BDL
2	At the Boundary near ESP (South Direction)	56.4	28.1	14.1	17.8	<1	BDL
3	At the Boundary near Coal Fines Stock yard (North Direction)	52.3	26.9	12.9	17.3	<1	BDL
	NAAQ Standard	100 ($\mu\text{g}/\text{m}^3$)	60 ($\mu\text{g}/\text{m}^3$)	80 ($\mu\text{g}/\text{m}^3$)	80 ($\mu\text{g}/\text{m}^3$)	4.0 (mg/m^3)	400 ($\mu\text{g}/\text{m}^3$)

NB: NH₃ BDL Value = 20 $\mu\text{g}/\text{m}^3$


Authorized Signatory

Notes:



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS&GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail: cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 7752014842




CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India) MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Aug-A-02/17
Name of Company : Ardent Steel Ltd
Sample Description : Fugitive Air
Date of Monitoring : 14-08-2017
Date of Receipt : 14-08-2017
Date of Start Analysis : 16-08-2017
Sample Collected by : P.K Swain

FUGITIVE EMISSION TEST REPORT

Sl.No.	LOCATION	MONITORING REPORT	
		RSPM ($\mu\text{g}/\text{m}^3$)	SPM ($\mu\text{g}/\text{m}^3$)
1	Proportioning System (Ash & Coke Fines Bunker)	138	378
2	Raw Material Transfer point of Mixture (Mixture Building)	141	393
3	Ball Mill (Cool Grinding)	146	402
4	Ball Mill (Flux & Coke Grinding)	121	387
5	Finished Product Transfer points and plant de-dusting system	109	346
6	Travelling Grate & Rotary Kiln	118	371
	OLD Standard	150 ($\mu\text{g}/\text{m}^3$)	500 ($\mu\text{g}/\text{m}^3$)


Authorized Signatory
Notes:



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 7752014842



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India) MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Aug-N-01/17
Name of Company : Ardent Steel Ltd
Sample Description : Noise Monitoring Report
Date of Monitoring : 14-08-2017
Date of Receipt : 14-08-2017
Sample Collected by : P.K Swain

NOISE LEVEL STUDY REPORT

Si. No.	Location	Noise Level In Day Time dB(A)	Noise Level In Night Time dB(A)
01	Ball Mill (Cool Grinding)	75.1	69.6
02	Raw Material Transfer point of Mixture (Mixture Building)	72.7	68.1

NATIONAL STANDARD NOISE LEVEL

Area Code	Category of Area/Zone	Permissible Limit in dB (A)	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40


Authorized Signatory



Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 7752014842



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Aug-SE S-01/17
Name of Company : Ardent Steel Ltd.
Sample Description : Stack Monitoring
Date of Monitoring : 14-08-2017
Date of Receipt : 14-08-2017
Date of Start Analysis : 16-08-2017
Sample Collected by : P.K Swain
Stack Height : 30m

STACK EMISSION REPORT

Sl. No.	Location of Sampling	Flue Gas Temp. in K	Concentration of Particulate Matter (PM) in mg/Nm ³
			Result
01	ESP	407	46.3


Authorized Signatory



Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail: cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 7752014842



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Aug-SE GW-01/17
Name of Company : Ardent Steel Ltd.
Date of Sampling : 14-08-2017
Sample Description : Ground Water
Date of Receipt : 14-08-2017
Date of Start Analysis : 16-08-2017
Sample Collected by : P.K Swain
Sample Location : Office Site Bore Well

GROUND WATER TEST REPORT

Sl.No	PARAMETER	UNIT	Desired Limit of drinking water (BIS:10500:2012)	Permissible Limit of drinking water (BIS:10500:2012)	Result
1	Colour	Hazen	5	15	3
2	Odour	-	Unobjectionable	Unobjectionable	UO
3	Taste	-	Agreeable	-	AL
4	Turbidity	NTU	1	5	3
5	pH Value @ 25°C	-	6.5-8.5	No Relaxation	6.97
6	Total Dissolved Solid	mg/l	500	2000	371
7	Alkalinity as CaCO ₃	mg/l	200	600	92
8	Total Hardness as CaCO ₃	mg/l	200	600	122
9	Iron as Fe	mg/l	0.3	No Relaxation	0.23
10	Nitrate as NO ₃ ⁻ -N	mg/l	45	No Relaxation	4.6
11	Sulphate as SO ₄	mg/l	200	400	12.8
12	Fluoride as F	mg/l	1.0	1.5	0.39
13	Calcium as Ca	mg/l	75	200	38.88
14	Chloride as Cl ⁻	mg/l	250	1000	41.3

N.B:C/L- Colorless, U/O- Un-objectionable, Agrl – Agreeable

Authorized Signatory

Notes:

- The result relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826

E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,

E-mail: cemclab@yahoo.in, Mobile: 7752014842



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India) MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Aug-SE SW-02/17
Name of Company : Ardent Steel Ltd.
Date of Sampling : 14-08-2017
Sample Description : Surface Water
Date of Receipt : 14-08-2017
Date of Start Analysis : 16-08-2017
Sample Collected by : P.K Swain
Sample Location : Reservoir

SURFACE WATER TEST REPORT

Sl.No	PARAMETER	UNIT	GSR 422E STANDARDS	Result
1	Colour	Hazen	--	23
2	Odour	-	--	UO
3	pH Value @ 25°C	-	5.5-9.0	6.12
4	Total Dissolved Solid	mg/l	2100	232
5	Iron as Fe	mg/l	3.0	1.21
6	Sulphate as SO ₄	mg/l	1000	62.3
7	Nitrate as NO ₃ ⁻ -N	mg/l	50	17.1
8	Boron as B	mg/l	2.0	0.2
9	BOD for 3 days @ 27°C	mg/l	30	5.6
10	COD	mg/l	250	32

N.B:U/O- Un-objectionable,C/L – Colorless,


Authorized Signatory



Notes:

- The result relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,

E-mail: cemclab@yahoo.in, Mobile: 7752014842



ACCREDITATION AND EMPANELMENT

Centre for Envotech and Management Consultancy Pvt. Ltd.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company,

Empanelled with:

- State Pollution Control Board (SPCB), Odisha as Environment Consultant under category –'A'.
- Orissa Construction Corporation Limited (OCCL) as Associated Consultant for carrying out EIA, FDP, Preparation of Wildlife Management Plan, GIS map, Socioeconomic survey, DGPS & ETS survey.
- Orissa Space Application Centre (ORSAC) for carrying out DGPS & ETS survey.
- Office of the Principal Chief Conservator of Forest (Wildlife) & Chief Wildlife Warden [PCCF (Wildlife) & CWLW], Odisha for preparation of Site Specific Wildlife Management Plans.

Accredited by:

- NABET, QCI for EIA Studies as 'A' Category Consultant Organization.
- NABL Accreditation Lab.

Enlisted in:

- Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India) for carrying out EIA, Waste Management & Audit, Turnkey solution of ETP & STR, Site Specific Wildlife Conservation Plan & Forest Diversion Proposals.

Regd. Office: 1st Floor, N-5/305, IRC Village, Nayapalli, Bhubaneswar– 751015, Odisha

Tele: 0674 - 2360344, 9861032826

E-mail: cemc_consultancy@yahoo.in, Website: www.cemc.in